

Stericycle Hazardous Materials Shipping Manifest Instructions

A pre-signed manifest serves as the signature required for medical waste pickups by Stericycle. Please complete the following fields:

- **Date:** enter the date of the scheduled pickup
- **Customer Location:** include the building and room number of the pickup
- **Account Number:** find this on Stericycle QR code labels after “Ship To”
- **Container Type:** list the type and quantity of containers
 - TB01- gray bin
 - US43- fiberboard box
 - Sharps- list only if the container is too large to fit inside of a TB01 or US43
- **Print/Type Name & Blazer ID:** enter your Blazer ID
- **Authorized Signature:** this can be a printed or an electronic signature
- **Red-marked boxes:** these are for Stericycle use only and should not be filled in

Training requirement: the signer must take Medical Waste Management for Labs (BIO301L) prior to generating, handling, or signing for medical waste

Final steps: place a copy of the pre-signed manifest on the TB01 transfer container

AND email the pdf to medwaste@uab.edu

Contact EHS at 934-2487 for any questions

Hazardous Material Shipping Document

Date* _____

Customer Location _____

Account #

300	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
-----	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

Customer Regulatory # _____

Regulated Medical Waste
6.2, UN3291, PGII

Emergency: 1-800-234-0051

Stericycle Customer Service Records		
Container Type	Quantity	Vol./Wt

Product Delivery Record	
Prod. Type	Quantity

This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the department of transportation.

Print/Type Name & Blazer ID* _____
Authorized Signature* _____

* Required field

For Stericycle use only

Stericycle, Inc.

1924 Joy Lake Road – Lake City, GA 30260 – Phone: (404)362-9090 – Fax: (404) 362-9726 – www.stericycle.com

Print

Save as PDF
